Initial: 9/92

Reviewed/revised: 5/10/00

Revision: 2


MILWAUKEE COUNTY EMS PRACTICAL SKILL

Signature: Page 1 of 1

Approved by: Ronald Pirrallo, MD, MHSA

APPLICATION OF POSITIVE END EXPIRATORY (PEEP) VALVE

Purpose:			Indications:		
To increase back pressure in the airway during exhalation to			Pulmonary edema		
help hold the alveoli and terminal bronchioles open, facilitating			Near-drowning		
removal of carbon dioxide			Aspiration		
			Inhalation injury		
Advantages:	Disadvantages:	C	omplications:	Contraindications:	
Increase in the partial pressure of	Can increase the		imple	Simple or tension	
oxygen in the alveoli improves	pressure in the airway		Pneumothorax	pneumothorax	
oxygen transfer into the blood	enough to cause		ension		
stream	damage/rupture of		pneumothorax		
Maintains open alveoli to facilitate	airway structures	Н	ypotension		
gas exchange					



NOTES:

- The PEEP valve is most efficient when used in conjunction with an endotracheal tube.
 Unless CPAP mask with straps is used, it is almost impossible to maintain PEEP with a face mask.
- Monitor a patient with COPD or other restrictive lung disease (e.g. asthma, emphysema) carefully for signs of pneumothorax.